

SQUARE AND RECTANGULAR COVERS TECHNICAL INFORMATION

3 PART CONCRETE INFILL - CLASS B - GM303C

PRODUCT CODE	CLEAR OPENING		FRAME			COVER				MASS			MADE FROM
	CO (W)	CO (L)	FRAME OVER-ALL WIDTH	FRAME OVER-ALL LENGTH	FRAME DEPTH	COVER WIDTH	COVER LENGTH	COVER BELLY DEPTH	COVER SEATING DEPTH	FRAME MASS KG	COVER MASS KG	MASS COVER (INCL CONCRETE)	
GM303C3010B	305	1001	457	1103	48	353	1044	38	38	20	30	51	3 x GM301C33B
GM303C4514B	457	1457	609	1559	48	505	1500	38	38	27	77	114	3 x GM301C44B
GM303C4519B	610	1916	762	2018	48	658	1959	38	38	34	98	156	3 x GM301C46B
GM303C6114B	610	1457	762	1559	48	658	1500	38	38	29	100	156	3 x GM301C64B
GM303C6119B	610	1916	762	2018	48	658	1959	38	38	34	122	198	3 x GM301C66B
GM303C6123B	610	2372	762	2474	48	658	2415	38	38	43	151	243	3 x GM301C67B
GM303C7619B	762	1916	914	2018	48	810	1959	38	38	37	167	255	3 x GM301C76B
GM303C7623B	762	2372	914	2474	48	810	2415	38	38	43	189	309	3 x GM301C77B
GM303C9119B	914	1916	1066	2018	48	962	1959	48	38	38	192	333	3 x GM301C96B
GM303C9123B	914	2372	1066	2474	48	962	2415	48	38	44	273	432	3 x GM301C97B
GM303C9128B	914	2828	1066	2930	48	962	2871	48	38	50	288	498	3 x GM301C99B

Note: Other 3 Part assemblies may be available upon request.
Cover and frame come assembled with bolt-downs, 2 x M12 SS SHC bolts (for every cover).
Solid Top assemblies may be available upon request.
Refer to Single part table for individual cover details.

The information contained in this document should serve as a guide only and is subject to change without notice.
For more information contact your GATIC representative.

SQUARE AND RECTANGULAR COVERS TECHNICAL INFORMATION

3 PART CONCRETE INFILL - CLASS D - GM303C

PRODUCT CODE	CLEAR OPENING		FRAME			COVER				MASS			MADE FROM
	CO (W)	CO (L)	FRAME OVER-ALL WIDTH	FRAME OVER-ALL LENGTH	FRAME DEPTH	COVER WIDTH	COVER LENGTH	COVER BELLY DEPTH	COVER SEATING DEPTH	FRAME MASS KG	COVER MASS KG	MASS COVER (INCL CONCRETE)	
GM303C3010D	305	1055	535	1275	102	385	1125	72	72	48	62	111	3 x GM301C33D
GM303C4515D	457	1511	687	1731	102	537	1581	72	72	64	100	204	3 x GM301C44D
GM303C4518D	457	1817	687	2037	102	537	1887	72	72	72	114	240	2 x GM301C46D 1 x GM301C44D
GM303C6118D	610	1817	840	2037	102	690	1887	72	72	76	153	308	2 x GM301C66D 1 x GM301C64D
GM303C6124D	762	2426	992	2646	102	842	2496	72	72	93	191	405	3 x GM301C67D
GM303C7618D	762	1817	992	2037	102	842	1887	72	72	80	174	376	2 x GM301C76D 1 x GM301C74D
GM303C7624D	762	2426	992	2646	102	842	2496	72	72	97	217	489	3 x GM301C77D
GM303C9118D	914	1817	1144	2037	102	994	1887	90	72	83	270	562	2 x GM301C96D 1 x GM301C94D
GM303C9124D	914	2426	1144	2646	102	994	2496	90	72	100	347	726	3 x GM301C97D
GM303C9128D	914	2882	1144	3102	102	994	2952	90	72	112	413	801	3 x GM301C99D
GM303C1215D	1218	1511	1448	1731	102	1298	1581	130	72	82	413	774	3 x GM301C1245D
GM303C1218D	1218	1817	1448	2037	102	1298	1887	130	72	88	462	918	2 x GM301C1261D 1 x GM301C1245D

Note: Other 3 Part assemblies may be available upon request.
Cover and frame come assembled with bolt-downs, 2 x M12 SS SHC bolts (for every cover).
Solid Top assemblies may be available upon request.
Refer to Single part table for individual cover details.

The information contained in this document should serve as a guide only and is subject to change without notice.
For more information contact your GATIC representative.

SQUARE AND RECTANGULAR COVERS TECHNICAL INFORMATION

3 PART CONCRETE INFILL - CLASS G - GM303C

PRODUCT CODE	CLEAR OPENING		FRAME			COVER				MASS			MADE FROM
	CO (W)	CO (L)	FRAME OVER-ALL WIDTH	FRAME OVER-ALL LENGTH	FRAME DEPTH	COVER WIDTH	COVER LENGTH	COVER BELLY DEPTH	COVER SEATING DEPTH	FRAME MASS KG	COVER MASS KG	MASS COVER (INCL CONCRETE)	
GM303C4515G	457	1523	687	1741	152	545	1599	110	87	80	206	333	3 x GM301C44G
GM303C6118G	610	1829	840	2047	152	698	1905	110	87	94	273	493	2 x GM301C66G 1 x GM301C64G
GM303C7619G	762	1982	992	2200	152	850	2058	120	87	104	336	843	3 x GM301C76G
GM303C9118G	914	1829	1144	2047	152	1002	1905	130	87	103	385	773	2 x GM301C96G 1 x GM301C94G

Note: Other 3 Part assemblies may be available upon request.
Cover and frame come assembled with bolt-downs, 4 x M12 SS SHC bolts (for every cover).
Solid Top assemblies may be available upon request.
Refer to Single part table for individual cover details

The information contained in this document should serve as a guide only and is subject to change without notice.
For more information contact your GATIC representative.